

Prescription Treatment® brand

PRO-CONTROL® PLUS

Total Release Aerosol Insecticide

One 6 oz. can treats up to 5,000 cu. ft. of unobstructed space (25' x 25' x 8').

Formula 1

KILLS: Roaches, Silverfish, Fleas, Spiders, Ants, Crickets, Houseflies, Ticks, Black Carpet Beetles, Small Flying Moths, Saw-Toothed Grain Beetles, Rice Weevils, Pillbugs, Mosquitoes, Wasps, Hornets, Yellow Jackets, Gnats, Earwigs.

FOR USE IN: Apartments, Attics, Basements, Buses, Cabins, Campers, Non-food/feed Areas of Commercial Buildings, Garages, Hospitals*, Hotels, Houses, Kennels, Motels, Nursing Homes*, Office Buildings, Railroad Cars, Schools**, Sheds, Ships, Storage Areas, Truck Trailers, Warehouses, Zoos.

* Do not apply this product in any rooms while occupied by patients, the elderly or infirm.

** Do not apply to classrooms when in use.

ACTIVE INGREDIENTS:

Pyrethrins	0.500%
Cyfluthrin	0.100%
Technical Piperonyl butoxide*	1.000%

OTHER INGREDIENTS:

.....	98.400%
-------	---------

* Equivalent to min. 0.9% (butylcarbonyl)(6-propylpiperonyl) ether and max. 0.1% related compounds.

EPA Reg. No. 499-462 EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See below for additional precautionary statements.

SHAKE WELL BEFORE USING

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

- 1 OPEN** cabinets, cupboards, drawers, closets and doors in areas to be treated. **REMOVE** or cover exposed foods, dishes, utensils, food processing equipment and surfaces. **REMOVE** pets and birds, cover and turn off fish aquariums before spraying. Turn off air flow systems in aquariums. **COVER** waxed wood floors, waxed furniture and stereo or other plastic dust covers in the immediate area surrounding the fogger (newspaper may be used).
- 2 CLOSE** outside doors and windows. **DO NOT** use more than one fogger per room. **DO NOT** use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms. Turn off **ALL** ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e. refrigerator, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.
- 3** Place a chair, table or stand in the center of the room to be fogged. Cover with several layers of newspaper, paper towels or plastic tarp.
- 4 SHAKE CAN WELL.** Tilt sprayer **AWAY** from face (container sprays straight up). Press tab down in locked position.
- 5** Set fogger on covered stand. Immediately leave treated area.

- 6** Keep treated area closed for at least two hours. Before re-occupying area, open all doors and windows and allow treated area to air for 30 minutes.

In the home, remove or cover exposed foods, dishes, utensils or wash thoroughly before use. Do not use in serving areas while food is exposed. Do not use in the food/feed areas of Commercial Food/Feed Handling Establishments, Restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Non-food/feed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, closets, and storage (after canning or bottling). Apply this product only as specified on this label. Re-treat as needed.

STORAGE & DISPOSAL

STORE AND USE AT ROOM TEMPERATURE.

STORAGE: Store away from heat or open flames in an area inaccessible to children.

DISPOSAL: Do not re-use empty container. Wrap container and put in trash. Do not puncture or incinerate.

PRECAUTIONARY STATEMENTS

FIRST AID

IF ON SKIN: Wash off with soap and water. Get medical attention if irritation persists. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling. Do not remain in enclosed area after use. Stay out of room being treated for at least two hours. Ventilate enclosed area before returning. Avoid contamination of food and foodstuffs. All food preparation surfaces should be covered during application. Apply only when no food is being prepared. Remove pets and birds, cover and turn off fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Keep away from fire, sparks and heated surfaces. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable Ingredient
Ingrediente Altamente Inflamable

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



A Prescription Treatment® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
www.wmmg.com

© 2000 Whitmire Micro-Gen Research Laboratories, Inc.



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.

NOTE: This specimen label is for informational purposes only. All uses may not be approved in all states. See labeling which accompanied product for Directions for Use or call 800-777-8570 for more information.

Revised: 3/00